Material Safety Data Sheet



Date of issue: 08/28/2024 Revision	n date: N/A	Supersedes: N/A	Version: 1.0	
SECTION 1: Identification				
1.1. Identification				
Product form Substance name Chemical name CAS-No Brand	: (: 1 : 1	White powders Geoffrey Crawley's N/A - Mixture N/A - Mixture Flic Film Inc.	FX-6a Monobath	
1.2. Recommended use and r	estrictions on u	se		
Use of the substance/mixture Recommended use Restrictions on use	: F : P	or photographic us hotographic chemi lot for food, drug or	cals	
1.3. Supplier				
Flic Film Inc. 10B Morrison Road, Longview, Alber Canada T0L 1HO T +1-403-982-4272	ta,			
1.4. Emergency telephone nu	mber			
Emergency number	: +1	-403-982-4272		
SECTION 2: Hazard(s) identif	ication			
2.1. Classification of the subs	stance or mixture	e GHS classificati	on	
Based on sodium sulfite and sodium	hydroxide conter	nt		
GHS Classification				
Serious Eye	sion / Irritation e Damage / Eye i get organ toxicity	rritation : Cate : Cate	gory 1A gory 1	
2.2. GHS Label elements, inc	luding precautio	onary statements		
GHS labelling				
Hazard pictograms (GHS)	:			
Signal word (GHS) Hazard statements (GHS)	:	Danger May be corrosive Causes severe s May cause respi	kin burns and eye damage	
Precautionary statements (GHS)	Prevention :	Do not breathe o Wash face, hand Wear protective	lust/fume/gas/vapors/spray ls and any exposed skin thoro gloves/protective clothing/eye rs or in a well-ventilated area	
	Response :		a POISON CENTER or docto	pr/physician
	Inhalation :	IF INHALED: Rei IF ON SKIN (or h	move victim to fresh air and ke air): Take off immediately all c	eep at rest in a position comfortable for breathing contaminated clothing. Rinse skin with water/shower
	Ingestion : Spills :	IF IN EYES: Rins Remove contact IF SWALLOWED Absorb spillage to Store locked up. Store in a well-ve Store in corrosive	ted clothing before use. e cautiously with water for several lenses, if present an easy to of c Rinse mouth. Do not induce o prevent material damage. Initilated place. Keep contained e resistant polypropylene contained	do. Continue rinsing. vomiting. r tightly closed.
		therwise classified	nts/container to an approved v	vaste disposal plant.

Material Safety Data Sheet

2.3. Other hazards which do not	esult in classification			
Other hazards not contributing to the classification	: None under normal condi	itions.		
2.4. Unknown acute toxicity (GHS	\$)			
Not applicable				
SECTION 3: Composition/Inform	ation on ingredients			
3.1. Substances				
Substance type	: Multi-constituent			
Name		Product identifier	% */ _*	1
Sodium sulfite		(CAS-No.) 7757-83-7	25-30%	1.1
Phenidone		(CAS-No.) 2654-57-1	<1%	
Hydroquinone		(CAS-No.) 123-31-9	5-10%	
Sodium thiosulfate pentahydrate		(CAS-No.) 7772-98-7	50-60%	
Sodium hydroxide		(CAS No.) 1310-73-2	5-10%	

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First-aid measures	
4.1. Description of first aid mea	sures
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. (show the label where possible). Show this safety data sheet to the doctor in attendance.
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest. If breathing is difficult, give oxygen. Get medical attention.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms	s and effects (acute and delayed)
Symptoms/effects	: Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Symptoms/effects after skin contact Symptoms/effects after eye contact	: May cause skin irritation or burns. : May causes severe eye irritation and redness to the eye lids, conjunctiva. There is potential for
Symptoms/effects after ingestion Notes physician	 permanent and severe eye damage if not treated immediately. Swallowing a small quantity may cause severe gastrointestinal irritation with nausea, vomiting and diarrhea. Ingestion of large quantities may cause ulceration, vomiting, shock and death. Treat symptomatically.
	on and special treatment, if necessary
Obtain medical assistance.	
SECTION 5: Fire-fighting mea	
Negligible fire hazard due to non-cor 5.1. Suitable (and unsuitable)	
Suitable extinguishing media	: Foam. dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Oxides of sodium. Sulfur dioxide. Oxides of nitrogen. Carbon dioxide. Carbon monoxide. Hydrogen when in contact with zinc, aluminum, etc.

Material Safety Data Sheet

5.3. Special protective equipme	nt and precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	
	otective equipment and emergency procedures
-	breathing dust. Avoid dust formation. Wash thoroughly after handling. Wear correct personal protective equipment.
6.1.1. For non-emergency personnel	
Protective equipment Emergency procedures	: Safety glasses. Protective clothing. Gloves. Dust mask.
	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precaution	15
Prevent entry to sewers and public w	aters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for	containment and cleaning up
Spills	: Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering the area. Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to loca and regional authority requirements.
6.4. Reference to other section	ns
See Heading 8. Exposure controls an	d personal protection.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and whe
	leaving work. Provide good ventilation in process area to prevent formation of dust build up. Avoid breathin
	dust. Avoid contact with skin and eyes. Obtain special instructions before use. Use personal protective
	equipment as required. Do not handle until all safety precautions have been read and understood.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling.
riygione measures	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before
	reuse.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage conditions	: Keep container closed when not in use. Store in a cool, dry, well-ventilated area.
Incompatible products	: Strong acids.

Incompatible materials : Store protected from moisture.

.1. Control parar	neters			
Component		Occupational Exposure Limits	1	
Sodium sulfite		ACGIH TWA 5 mg/m ³ (8 hour).	1	
Phenidone		Not known.		
Hydroquinone		ACGIH TWA 1 mg/m ³ (8 hour).		
Sodium thiosulfate		Not listed.		
Sodium hydroxide		ACGIH TWA 2 mg/m ³ (8 hour).		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation. Material should be handled using local exhaust ventilation (LEV) or laboratory hood whenever possible.

Material Safety Data Sheet

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Chemical resistant apron. Gloves. Protective clothing. Safety glasses. Dust mask.



Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear respiratory protection.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Solid.	
Appearance	: Powder / crystalline	
Colour	: White/off-white/Cream.	
Odour	: Slight sulfurous / acidic smell.	
Odour threshold	: No data available.	
рН	: No data available.	
Melting point	: No data available.	
Freezing point	: No data available.	
Boiling point	: No data available.	
Flash point	: No data available.	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available.	
Relative vapour density at 20 °	: No data available.	
C Relative density	: No data available.	
Specific gravity / density	: No data available.	
Molecular mass	: N/A - Mixture.	
Solubility	: Soluble in cold water, hot water.	
Auto-ignition temperature	: No data available.	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Hygroscopic	: Yes	

9.2. Other information

No additional information available

Material Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is stable.

10.2. Chemical stability

Hygroscopic. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Moisture can also hydrolize mixture to liberate sulfur dioxide which is a highly irritating and corrosive gas. Adding strong acid to the material can generate sulfur dioxide which is highly irritating and corrosive gas and produce heating (exotherm) of the mixture.

10.4. Conditions to avoid

Direct sunlight. Possible emission of gaseous decomposition products may lead to a dangerous pressure build. Exposure to moisture. Elevated temperatures. Store protected from moisture.

10.5. Incompatible materials

Strong acids. Avoid strong acids to prevent generation of highly irritant and corrosive sulfur dioxide gas and heating (exotherm).

10.6. Hazardous decomposition products

Oxides of sodium. Oxides of nitrogen. Sulfur dioxide. Carbon dioxide. Carbon monoxide. Hydrogen when in contact with zinc, aluminum, etc.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Likely routes of exposure ÷ Inhalation; Skin and eye contact. Oral: Harmful if swallowed. Acute toxicity **Toxicological data** Sodium thiosulfate 2,000 mg/kg (rat) LD50 Oral LC50 Inhalation >2.6 mg/l / 4h (rat) LD50 Dermal 2,000 mg/kg (rat) Phenidone LD50 Oral > 200 mg/kg (rat) LD50 Inhalation Not know. LD50 Dermal Not known. Sodium sulfite LD50 Oral 2610 mg/kg (rat) LD50 Inhalation >22 mg/L (rat) 1 h >5.5 mg/L (rat) 4 h LD50 Derma >2000 mg/kg Hydroquinone LD50 Oral 298 mg/kg (rat) LD50 Inhalation Not listed LD50 Dermal 74,800 mg/kg (rabbit) Sodium hydroxide LD50 Oral 140-340 mg/kg (rat) LD50 Inhalation Not listed LD50 Dermal 1350 mg/kg (rabbit)

Material Safety Data Sheet

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	 Causes skin irritation or burns. Causes serious eye irritation or burns. May cause an allergic skin reaction. Sodium sulfite may cause severe or deadly allergic reactions in some asthmatics and sulfite sensitive individuals. Possible signs and symptoms of allergic reactions include bronchoconstriction, sweating, flushing, hives, rapid heart rate, decreased blood pressure and anaphylaxis. Repeated or prolonged contact may cause dermatitis.
Germ cell mutagenicity	: Not classified as a mutagen.
Carcinogenicity	: Not classified as a carcinogen.
Reproductive toxicity	: Not classified.
Specific target organ toxicity - single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Based on available data, the classification criteria are not met. Harmful if swallowed.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 The substance or mixture is not classified as specific target organ toxicant. Prolonged or chronic ingestion may cause bromism characterized by disturbances to the central nervous system. May cause skin irritation and/or dermatitis. May cause irreversible eye damage. Central nervous system depression. Diarrhea. Nausea. Vomiting.

SECTI	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- water	: Harmful to aquatic life.
12.2.	Persistence and degradability	

Hypo Clearing Agent	
Persistence and degradability	The material is inorganic and not subject to biodegradation and not to persist in the environment.

Hypo Clearing Agent Bioaccumulative potential	This material is believed not to bioaccumulate.
2.4. Mobility in soil	
lo additional information available	
2.5. Other adverse effects	
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local / national regulations. Dispose of contents / container to comply with local, state and federal regulations.	
Ecology - waste materials	: Avoid release to the environment.	

Material Safety Data Sheet

SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: Not applicable.
DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	 No special provisions. Not applicable No limit No limit
CFR 175.75) DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
Other information	passenger vessel. : No supplementary information available.

SECTION 15: Regulatory information

Canadian National Regulations

Geoffrey Crawley's FX6a Monobath Not listed on the Canadian DSL (Domestic Substances List) Not listed on the Canadian IDL (Ingredient Disclosure List)

SECTION 16: Other information

Full text of H-phrases: May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation

08/28/2024

EN (English CAN)

Information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Flic Film Inc assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application.